

## INDUSTRY APPLICATIONS

### RETAIL

- Point of Sale Checkout
- Shelf Replenishment
- Price Checking
- Store Inventory
- Goods Receiving
- Postal, Bank, Utilities, Public Administration
- Access Control, Entertainment

### MANUFACTURING

- Manufacturing Shop Floor
- Component Traceability
- Work-in-Progress
- Sub-Assembly
- Quality Control
- Time and Cost Analysis
- Control Machines Set-up
- In-line Inventory Control

### T&L

- Shipping / Receiving
- Parcel Preparation
- Picking / Put Away
- Automatic Sorting Back-Up
- End of Line Sorting

### HEALTHCARE

- Bedside Care
- Admittance
- Clinical Lab
- Surgical tool tracking
- Blood bank
- Pharmacies



[www.datalogic.com](http://www.datalogic.com)

© 2018 Datalogic S.p.A. and/or its affiliates. • All rights reserved. Without limiting the rights under copyright, no part of this documentation may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means, or for any purpose, without the express written permission of Datalogic S.p.A. and/or its affiliates. • Datalogic and the Datalogic logo are registered trademarks of Datalogic S.p.A. in many countries, including the U.S. and the E.U. • PowerScan, QuickScan, Gryphon and Heron are trademarks of Datalogic S.p.A. and/or its affiliates, registered in many countries, including the U.S. and the E.U. • RIDA and Datalogic STAR Cordless System are trademarks of Datalogic S.r.l. and/or its affiliates. • The Bluetooth word mark and logos are trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Datalogic Group companies is under license. • All other trademarks and brands are property of their respective owners • Product specifications are subject to change without notice. • PG-HH-ENA4 Revision A 20180726

# PRODUCT GUIDE



## > Hand Held Scanners



## GENERAL PURPOSE AND INDUSTRIAL HAND HELD SCANNERS

### OVERVIEW

Datalogic's Hand Held Scanner product line offers products and solutions for automatic data capture and process automation throughout the customer's entire value chain in the Retail, Manufacturing, Transportation & Logistics and Healthcare industries.

The wide range of general purpose hand held readers offer a variety of choices for most data collection activities. Product sets propose corded and cordless options together with best in class reading technologies, ready to solve current and future needs and applications.

Datalogic's PowerScan industrial hand held readers are data collection's definitive example of ruggedness and durability, coupled with outstanding performance and unyielding reliability.

### TECHNOLOGIES

- Linear and area imaging technology for 1D and 2D bar codes
- Bluetooth® and Datalogic's STAR Cordless System™ radio connectivity
- Datalogic's exclusive 3GL™ (3 Green Lights) and 'Green Spot' technology
- Great ergonomics and outstanding design
- Rugged enclosures; Durable and reliable
- Healthcare models with Disinfectant-Ready enclosures and anti-microbial additives

### APPLICATION PICTURES





# GENERAL PURPOSE HAND HELD READERS

# INDUSTRIAL HAND HELD READERS

READING RANGES	
CONTACT	0 to 5 cm / 0 to 2 in
INSTINCTIVE	0 to 30 cm / 0 to 12 in
DISTANCE	0 to 100 cm / 0 to 39 in
LONG RANGE	0 to 250 cm / 0 to 98 in
AUTO RANGE	Up to 10 m / 3 ft

TD1100 FAMILY	HERON™ FAMILY		QUICKSCAN™ FAMILY				RIDA™ FAMILY	GRYPHON™ FAMILY					POWERSCAN™ FAMILY				
<b>TD11XX</b>	<b>HD31XX</b>	<b>HD34XX</b>	<b>QW21XX</b>	<b>2131</b>	<b>QW24XX</b>	<b>2430</b>	<b>RIDA</b>	<b>41XX</b>	<b>43XX</b>	<b>44XX</b>	<b>45XX</b>	<b>91XX</b>	<b>93XX</b>	<b>95XX RETAIL</b>	<b>95XX</b>		
The TD1100 series of linear imagers are a cost-effective solution for users who require close contact bar code reading. Used in Retail, Services, Banking, etc.	The Heron HD3100 is a linear imager bringing high style and modern technology to the point-of-sale. Available in a 'carbon-fiber' or 'silver' design.	The Heron HD3430 2D area imager brings elegance with advanced 2D reading technology to the modern point-of-sale. Available in a 'carbon-fiber' or 'silver' design.	The QuickScan Lite QW2100 linear imager is an entry level reader specifically for reading long and truncated bar codes which is common in some areas of the world.	The QuickScan 2131 series is a linear imager featuring an extra-wide field of view for reading long bar codes. Available in Desk, Bluetooth® and Mobile (STAR radio) versions.	The QuickScan Lite QW2400 2D corded area imager is designed for reading long and truncated 1D codes and larger 2D codes from close range. It has an extra-wide field of view which allows the capture of these bar codes.	The QuickScan 2430 series are 2D area imagers with a new illumination and aiming system. Available in Desk, Bluetooth® and Mobile (STAR radio) versions.	The DBT6400 is a cordless area imager with Bluetooth® technology in a pocket-sized form factor. Available in a Standard or Healthcare model.	The Gryphon 41XX linear imagers provide advanced reading and performance. Available in Desk, Bluetooth®, Mobile (STAR radio) and Healthcare versions.	The Gryphon L GD4300 reader utilizes laser scanning technology and is ideal for reading from longer distances with a snappy performance.	The Gryphon 44XX 2D area imagers are the premium level of general purpose scanning. Available in Desk, Bluetooth®, Mobile (STAR radio), DPM and Healthcare versions.	The Gryphon 45XX 2D area imagers are the premium level of hand held scanners with a new ergonomic design and illumination system. Available in Desk, Bluetooth®, Mobile (STAR radio), DPM and Healthcare versions.	The PowerScan 91XX linear imagers introduce a new green scanning line for outstanding 1D data collection. Available in Desk, Bluetooth® and Mobile (STAR radio) versions.	The PowerScan 93XX laser readers offer state-of-the-art performance in an industrial product. Available in Desk, Bluetooth® and Mobile (STAR radio) versions.	The durability of the PowerScan imagers are now available for the Retail sector. Available in Desk, Bluetooth® and Mobile (STAR radio) versions.	The PowerScan 95XX area imagers include omnidirectional reading with outstanding optical characteristics. Available in Desk, Bluetooth®, Mobile (STAR radio) and DPM versions.		

APPLICATIONS																	
Retail	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Manufacturing				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Transportation & Logistics	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Healthcare							<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					

FEATURES																
Reading Technology	Linear Imager	Linear Imager	Area Imager	Linear Imager	Linear Imager	Area Imager	Area Imager	Area Imager	Linear Imager	Laser	Area Imager	Area Imager	Linear Imager	Laser	Area Imager	Area Imager
Reading Range	Contact/Instinctive	Instinctive	Instinctive	Instinctive	Instinctive	Instinctive	Instinctive	Instinctive	Distance	Distance	Distance	Distance	Distance	Distance / Auto Range	Instinctive / Distance	Instinctive / Distance DPM Models: Contact / Instinctive
Aiming System	Scan Line	Scan Line	4-Dot / Center Cross Aimer	Scan Line	Scan Line	Blue Aiming Dot	Two Blue Triangles	4-Dot Aimer	Scan Line	Laser Line	4-Dot/Center Cross Aimer	4-Dot/Center Cross Aimer	Laser-like Line	Laser Line	4-Dot/Center Cross Aimer	Frame Aimer/Center Cross
Wide Scan Angle		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>

DATA CAPTURE																
Bar Codes	1D	1D	1D and 2D	1D	1D	1D and 2D	1D and 2D	1D and 2D	1D	1D and 2D	1D and 2D	1D and 2D	1D	1D	1D and 2D	1D and 2D
Direct Part Marked (DPM) Codes											DPM Model	DPM Model				DPM Model
Digital Watermarks															<input checked="" type="checkbox"/>	
Image Capture			<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Reads from Smartphone or screen displays	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Datalogic's 'Green Spot' Technology		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

RUGGEDNESS / DURABILITY																
IP Rating (Particulate and Liquid Sealing)	IP30	IP40	IP40	IP42	IP42	IP42	IP42	IP52	IP52	IP52	IP52	IP52	IP65	IP65	IP65	IP65
Drop to Concrete	1.5 m / 5.0 ft	1.5 m / 5.0 ft	1.5 m / 5.0 ft	1.5 m / 5.0 ft	1.5 m / 5.0 ft	1.5 m / 5.0 ft	1.5 m / 5.0 ft	1.5 m / 5.0 ft	1.8 m / 5.9 ft; HC Model: 1.5 m / 5.0 ft	1.8 m / 5.9 ft	1.8 m / 5.9 ft; HC Model: 1.5 m / 5.0 ft	1.8 m / 5.9 ft	2.0 m / 6.6 ft	2.0 m / 6.6 ft	2.0 m / 6.6 ft	2.0 m / 6.6 ft
Factory Warranty	5 Year	5 Year	5 Year	3 Year	QD2131: 5 Year QBT2131: 3 Year QM2131: 3 Year	3 Year	QD2430: 5 Year QBT2430: 3 Year QM2430: 3 Year	3 Year	3 Year	5 Year	5 Year	5 Year	3 Year	3 Year	3 Year	3 Year

CORDLESS FEATURES																
Wireless Technology (STAR / Bluetooth®)					Bluetooth 3.0 Class 2 STAR 2.0: 433 MHz		Bluetooth 3.0 Class 2 STAR 2.0: 433 MHz	Bluetooth 4.0	Bluetooth 2.0 STAR: 433 or 910 MHz	Bluetooth 2.0 STAR: 433 or 910 MHz	Bluetooth 2.0 STAR: 433 or 910 MHz	Bluetooth 4.0 STAR: 433 or 910 MHz	Bluetooth 3.0 STAR: 433 or 910 MHz	Bluetooth 3.0 STAR: 433 or 910 MHz	Bluetooth 3.0 STAR: 433 or 910 MHz	Bluetooth 3.0 STAR 2.0: 433 or 910 MHz
Wireless Range - Travel Distance from Base					25.0 m / 82.0 ft		25.0 m / 82.0 ft	25.0 m / 82.0 ft	30.0 m / 98.4 ft	30.0 m / 98.4 ft	30.0 m / 98.4 ft	30.0 m / 98.4 ft	BT: Up to 100 m / 328 ft 433: Up to 100 m / 328 ft 910: Up to 400 m / 1,312 ft	BT: Up to 100 m / 328 ft 433: Up to 100 m / 328 ft 910: Up to 400 m / 1,312 ft	BT: Up to 90 m / 295 ft 433: Up to 50 m / 164 ft 910: Up to 100 m / 328 ft	BT: Up to 90 m / 295 ft 433: Up to 150 m / 492 ft
Display / Keypad for 2-Way Communication									GM4100				PM9100	PM9300	PM9500 Retail	PM9500
Batch Mode Capability					500 + Linear Codes		500 + Linear Codes	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Battery Type					Li-Ion 1400 mAh		Li-Ion 1400 mAh	Li-Ion 700 mAh	Li-Ion 2100 mAh	Li-Ion 2100 mAh	Li-Ion 2100 mAh	Li-Ion 2150 mAh	Li-Ion 2150 mAh	Li-Ion 2150 mAh	Li-Ion 2150 mAh	Li-Ion 2150 mAh
Battery Life - Scans Between Charge					30,000 +		30,000 +		GBT: 33,000 + / GM: 50,000 +	GBT: 50,000 + / GM: 60,000 +	GBT: 50,000 + / GM: 60,000 +	PBT: 50,000 + / PM: 50,000 +	PBT: 50,000 + / PM: 50,000 +	PBT: 50,000 + / PM: 50,000 +	PBT: 30,000 + / PM: 30,000 +	30,000 +
Scan While Charging					QBT2131, QM2131		QBT2430, QM2430		GBT4100, GM4100	GBT4100, GM4100	GBT4400, GM4400				Vertical Cradle	